
Pharmacogenomics

Tina Lin
Professor Douglas Brutlag
Biochem118

Adverse Drug Reaction

- Severe negative reaction to a prescribed drug
- 1994: more than 2.2 million serious cases and over 100,000 deaths by ADR
 - Made ADRs one of the leading causes of hospitalization and death in the U.S.
- Can't determine how each individual will respond to a medication
 - Drugs use the "one size fits all" system
 - Suits only the "average" patient

Adverse Drug Reaction




Background

- Responses to drugs (positive and negative) are complex traits influenced by many different genes
 - Hard to develop genetic tests to predict drug response without knowing all the genes
 - People's gene show small variations in their nucleotide content → made genetic testing for predicting drug response possible
- Most of human genome are identical, varies in single nucleotide polymorphisms (SNPs or "snips"):
 DNA sequence variations that occur when a single nucleotide in the genome sequence is altered
 - Occurs once every 1,000 base pairs along the 3-billionbase human genome

Definitions


- Pharmacogenomics: general study of all the genes that determine drug behavior
- Pharmacogenetics: study of inherited differences in drug metabolism & response



What is Pharmacogenomics?

- Combination of human genome knowledge (genes, proteins, SNPs) and pharmaceutical sciences (biochemistry, medicines)
- Examines inherited variations in genes that dictate drug response
- Explores ways these variations can be used to predict whether a patient will have a good/bad/no response to a drug
- Ultimately, researchers hope to be able to customize drug therapies for specific patient populations or even individuals

Current Uses



enzymes 0 different

lize drugs ug overdose for variations onitor

ıl compounds y variant

Current Uses

- TPMT (thiopurine methyltransferase)
 - Important in chemotherapy treatment of a common childhood leukemia → breaks down a class of therapeutic compounds called thiopurines
 - Some Caucasians have genetic variances that prevent them from producing an active form of thiopurines
 - Since the inactive form of TMPT cannot break down the drug, thiopurines elevate to toxic levels in the patient
 - Doctors use this genetic test to screen for this deficiency
 TMPT activity is monitored to determine appropriate thiopurine dosage levels

Current Uses

- Cardiovascular pharmacogenetics
 - Goals:
 - to guide cardiovascular drug development and selection
 - to optimize therapeutic benefit
 - to minimize the potential for toxicity
 - Researchers are exploring differences in the efficacy and efficiency of these cardiovascular drugs (regardless of drug concentration) based on common genetic variations (polymorphisms) → will become prominent in the future
 - e.g. antiarrhythmic, reninangiotensin, beta-blocker, lipidlowering, and antithrombotic classes

- More effective medicines
 - Can create drugs based on proteins, enzymes, and RNA molecules
 - Facilitated drug discovery
 - Therapy targeted to specific diseases
 - Decrease damage to healthy cells
- "Right" drugs the first time:
 - No more trial-and-error; process:
 - analyze patient's genetic profile
 - prescribe best available drug therapy
 - Speedy recovery; increase in safety

- More appropriate drug dosages
 - Current bases for appropriating dosage:
 - Weight and age
 - With pharmacogenetics:
 - Based on genetics
 - Maximizes therapy value; decreases over dosage
- Advanced screening for diseases
 - Decide on lifestyle and adapt to environmental changes early on → to avoid and/or lessen the seriousness of genetic diseases
 - Allows for careful monitoring; treatments at right age ("optimal" age)

- Better vaccines
 - Vaccines made of DNA/RNA → existing vaccines in our bodies without risks
 - Activation of the immune system without causing infections
 - Inexpensive, stable, easy to store and engineer
- Improvements in drug discovery
 - Using genome targets → more easily discover potential therapies
 - Previously failed drug candidates can be revived

- Improves approval process
 - Drug approval process will be facilitated
 - Trials are targeted for specific genetic population groups
 - Greater degrees of success
 - Cost/risk of clinical trials will be reduced because of the individual-target basis
- Decreases overall cost of health care
 - Decreases in ADR, failed drug trials, time to get drug approval, medication times, number of trial medications, effects of disease on body
 - Increase in range of possible drug targets

Issues

- Still a complicated method of finding the SNPs that affect a specific drug response
- Limited drug alternatives
- Disincentives for drug companies for make multiple pharmacogenomic products
- Educating healthcare providers
- Economic issues
- Ethical issues

Now → Future

Current:

- Researchers are now trying to catalog as many genetic variances (SNPs) in the human genome as possible
- DNA must be sequenced for presence of SNPs
- Problem: traditional gene sequencing technology = slow and expensive

Future:

- DNA microarrays (DNA chips) can make it possible for doctors to examine patients for specific SNPs quickly and affordably
 - Takes only a couple of hours to screen 100,000 SNPs
- SNP screening in the doctor's office to determine drug response prior to drug prescription